




COLARIS & CHROMOJET blanket printing

content

concept	4
CHROMOJET VS COLARIS	•
orint line	8
components 1	(



• reduced space requirement

- no screens required
- digital workflow from design through output

highlights

- open ink system allows free selection from certified ink suppliers
- digital printing systems for light and heavy weight blanket constructions
- environmentally-friendly, sustainable print process

COLARIS

blanket printer ideal for printing on

raschel blankets

on low and medium weight

polar and coral fleece,

concept

- PROMOTION blankets
- BABY mink blankets
- DECORATIVE blankets

From light weight polar and coral fleece to medium weight ra-

CHROMOJET blanket printer

the best solution for printing of high pile, heavy weight raschel blankets

printing widths: 2200 | 2600 | 3200 | 4200 mm

COLARIS

up to 12 color groups up to 1.000 m2/h at 400/800 dpi and 6 colors









- LICENSE blankets

All of the above blanket types have different requirements due to their construction and their different make and designs. To cover all the requirements, ZIMMER AUSTRIA offers two different printing technologies for optimized print results.

schel blankets, best results and maximum flexibility in designs can be achieved with COLARIS digital inkjet printing systems.

In case of heavy weight raschel blankets the CHROMOJET technology has its advantages over the COLARIS digital inkjet printing



BLANKET CONSTRUCTIONS

Polar or coral Fleece blankets are of relatively light weight constructions with low pile height.

Raschel technology is a kind of knitting process which produces high quality medium to heavy weight blankets with a very soft touch. Such blankets are known as mink blankets.

FIBERS FOR BLANKETS

Fleece blankets are mostly PES based but fleece blankets made of wool or cotton are also available.

Raschel blankets were originally produced from acrylic (PAN) yarn. Increasing quality of PES and cationic dyeable PES have substituted the high price PAN fiber in the recent years.




DYES AND PROCESSING

PAN fibers as well as cationic dyable PES require cationic dyes or inks. PES fiber is dyed with disperse or direct sublimation inks.

Cationic inks are fixed with saturated steam, disperse and direct sublimation inks are fixed with superheated steam or hot air.



two different technologies



chromojet

is a digital printing system based on valve technology. High speed electro-magnetic valves inject pressurized print paste into the high pile of blanket substrates. CHROMOJET is the technology which achieves maximum penetration especially for production of medium to heavy weight raschel blankets. CHROMOJET is a spot color printer but can also work as a process color printer using pre-mixed print pastes. The maximum resolution is 76 dpi which gives limitation in terms of grey scale printing.

CHROMOJET uses a print paste made with conventional dyes. Consequently, a color kitchen for paste preparation is required.



is a digital inkjet printing system using piezo printheads and 4 to 6 process colors. A great range of color shades can be produced from CMYK colors only. For an enhanced color space additional process colors can be added. For improved penetration additional color booster inks are installed.

With high resolution from 400 to 3200 dpi, finest color gradations can be achieved and sufficient ink amount for low to medium weight substrates can be applied.

High concentration process color inks does not require a color kitchen.
















blanket print line





blanket print line

COLARIS PRINTER

applies the digital image onto the blanket substrate and provides the ink amount required for a good penetration. Ideal for printing on polar and coral fleece fabrics as well as on light to medium weight raschel fabrics.

PRESS STATION

is used to ensure maximum penetration, to bring inks and dyes into the depth of yarn and to ensure penetration for good color strength on the backside of the blanket.

MODUS LOOP STEAMER

is a multi-purpose dye fixation system which can be operated in different modes. Saturated steam is used for fixation of cationic dyes, whereas superheated steam or hot air curing are used for fixation of disperse and direct sublimation dyes.





PILE OPENING AND SUBSTRATE CLEANING

is performed by a beater roller followed by a vacuum extraction.



HOT AIR NOZZLE DRYER

with conveyor belt can be heated with electricity, steam or hot air.



CHROMOJET PRINTER

is recommended for printing on heavy weight raschel blankets. The printer injects pressurized paste into the pile substrate and provides a high quantity of print paste as needed for voluminous substrates.



COLOR KITCHEN

Together with CHROMOJET printers, a color kitchen is required to prepare the stock paste and to mix the print paste according to the required recipe for the perfect color shade.



SUPRAWASH

Is a high performance post print washer, dedicated to the needs of a reductive washing process required for PES fabrics to achieve best rub and wash fastness.







ZIMMER MASCHINENBAU GMBH DIGITAL PRINTING SYSTEMS



Eibergstrasse 2-8 6330 Kufstein | AUSTRIA



+43 (5372) 64893-0 info@zimmer-austria.com

Your competent partner for process development, engineering, manufacturing and implementation of industrial printing and coating systems.