




# COLARIS, textiles technical textiles


4
5
6
8
workwear12
military camouflage 14
ransport fabrics 16
outdoor fabrics 18
advertising fabrics 20
gy 22
26
s 27
n center28
nology center 30





- 1. Which fiber, size or target market do you seek for and what's your fastness requirement?
- 2. Do you have equipment available, which you would like to integrate into a new print line?
- Is there a specific ink supplier you wish to work with?Will you require technical and technological support from the inlease.
- Is your plant and the environment prepared for a fully digital wo Industrial production requires process stability.
- 5. Which software is most suitable for your business and how do yo the design into a printable color?
- 6. How do you define, measure and communicate the colors intern and with the costumer? Do you have a measuring system such as spectro-photometer?
- 7. Which requirements or skills are needed to operate a digital prin given capacity, regarding to the utilities or the operator?





Technical Textiles cover a wide range of fabrics, made of various fibers and blends. These Fabrics are mostly used under severe environmental conditions and require highest fastness levels.

The wide range of end products covers textiles for indoor use such as furnishing for contract business or different variants of sun blinds. Workwear and protective clothing are another group of products, as well as outdoor fabrics such as canopies and tent fabrics, parasols and awnings or furnishing fabrics for camping use.

High end furnishing fabrics for public transport systems such as buses, subways, trains, cable cars, aeronautic and marine needs are another challenge to deal with. Last but not least the needs for printed military fabrics with specific infrared reflectance control can be matched with ZIMMER AUSTRIA Digital Inkjet Printing Systems.

# **APPLICATIONS**

- workwear
- military camouflage
- transport fabrics
- outdoor fabrics
- advertising fabrics





cellulosic fibers

reactive, VAT or pigment


# VR268

# **SELECTION DEPENDS** R AND FINAL APPLICATION.









### ACID | METAL COMPLEX

light fastness	++
wash fastness	++
crock fastness	++
chlorine fastness	+
brilliancy	++

### PROCESS REQUIREMENTS

- pre-treatment
- printing, drying

**END PRODUCTS** 

- steaming
- washing
- drying

# polyamide, wool, Aramid

### cellulosic, polyamide, Aramid

VAT

light fastness	++
wash fastness	+++
crock fastness	++
chlorine fastness	+
brilliancy	+++

### PROCESS REQUIREMENTS

- pre-treatment
- printing, drying
- steaming oxidizing
- washing
- drying

### **END PRODUCTS**

### **DISPERSE | SUBLIMATION**

light fastness	+++
wash fastness	++
crock fastness	++
chlorine fastness	+
brilliancy	++

- printing, drying
- dye fixation

**END PRODUCTS** 

- reductive washing
- drying

# polymerization

(post-treatment)

**END PRODUCTS** 

**PIGMENT** any kind of fibers polyester light fastness wash fastness crock fastness chlorine fastness brilliancy +++ PROCESS REQUIREMENTS PROCESS REQUIREMENTS pre-treatment pre-treatment printing, drying

Digital printing is a complex task for which the entire workflow has to match. From design, color management and communication up to printer calibration all must be perfect for a superb result.

Essential tools are fast computers with fast networks, a lot of memory space and well trained operators.





# **PRINTER CALIBRATION**


Basic process setup and print resolution must be defined and stable hefore a calibration is made



# COLOR **MEASUREMENT**

measurement is assential Diffe-

Digital printing needs digital information to communicate. Color





# **COLOR CALIBRATION**

Color calibration is needed to communicate and match colors. This makes sure that colors annear identical



# **DESIGN SOFTWARE**

There are a number of pixel- or vector- based software tools on the market: Photoshon® Gimn®


Durin inforr ic trai



or unsurpassed fastness of cellulosic and regeneints with VAT dyes easily ght exposure, boil waslorine bleach to a great

complex compared to inting solutions, but the end products are paying teps in processing.







### FFLINE INKJET PRE-TREATMENT:

adder application followed by stenter drying required for wet-on-dry print process





fabrics have to fulfill a wide range of protection needs. Accordingly, a greses are used. From cotton, re-generated cellulose fibers, polyamide, Aranex™, Conex™, Kevlar™ Twaron™, LENZING™ Lycell and Modal, LENZING™ ir blends are well known for their specific properties. Products may include of vests, rain protection, ponchos, tents, carrying systems, sleeping bags, r hook and loop quick-fix-and-release products, etc. All these products need eflection control and this is what ZIMMER AUSTRIA Digital Printing Systems RIS Digital Prints with IR-reflectance control, perfectly match requirements nilitary forces around the globe. Camouflage printing is not about existing duced digitally from traditional screen printing – digital camouflage printing ore.



### FFLINE INKJET PRE-TREATMENT:


adder application followed by stenter drying required for wet-on-dry print process



### OFFLINE POST-PRINT PROCESSING:


# transport taories

more complex than a simple print and dry process. Most important criteria bric are penetration and sharpness of the print.



### ILINE PRE-TREATMENT & DIGITAL PRINTING:

et-on-wet process - integrated inline pre-treatment, llowed by printing and drying.



### YE FIXATION PROCESS:

) OFFLINE: saturated steam ) INLINE: saturated steam



Typical applications are upholstery, velour and seat furnishing fabrics for the public transport such as train, subway, cable cars, buses, aircrafts and cruise ships.

ACID prints are known for good fastness properties. For extended fastness requirements, pre-metallized inks are available. Such inks are good for improved light and chlorine fastness.










forcing the industry to look refriendly processes.


the most eco-friendly print ergy consumption is less print process that requires hing. Water consumption rge for post-print finishing empletely eliminated. With opments, dry and wet rub the with conventional pignishe haptics have drastically





### FFLINE INKJET PRE-TREATMENT:


adder application followed by stenter drying required for wet-on-dry print process




Pigment prints are known for high light fastness. Accordingly, window fashion, sun blinds and outdoor fabrics including various technical textiles, are the key products printed with pigment inks. The simple and environment-friendly process is rapidly growing - not just for the afore-mentioned end products, but also within the fashion and home textile market.








ATION inks are categorized by their molecular structure. They are also known high energy disperse inks. Disperse is referring to the ink characteristics, as re kept evenly distributed within the ink by a dispersion to reduce the risk of egation/agglomeration to a minimum.



### FFLINE INKJET PRE-TREATMENT:

adder application followed by stenter drying required for wet-on-dry print process




### L PRINTING:

ng on ready for inkjet print fabric










-based technology

live-based technology has initially carpet printing. Over the years, ns of jets and improved compucations have expanded into other MOJET stands for carpet printing, lization of textile substrates and







### **TECHNICAL DATA**

jet versions: HSV-400-R & HSV-800

max. particle size: 7 µm

CHROMOJET technology is available with two different jet versions. This allows a wide range of applications starting from digital functionalization of flat textiles, through printing of medium to heavy weight pile substrates including loop and velour carpets and medium to heavy weight raschel blankets.





**HSV-800** 





suitable for COLARIS Digital Inkrocesses. The simplest option is nent followed by a stand-alone post-print fixation.

5 COMPairs.

ts are available from ZIMMER lled as offline or inline compoFor inline post-print washing, ZIMMER AUSTRIA can offer various combinations and dimensions of single-step or multi-step washing systems.



In addition to complex print lines, ZIMMER AUSTRIA offers a large range of laboratory equipment like sample printers or evaluation devices for process development by our customers.

laboratory

## **COLARIS 12-1200T**





### **TECHNICAL DATA**

# POST-PRINT PROCESSING L

working width: 1200 mm

Operation options: for individual pieces or continuous processing

processing options: steam fixation for dyes, post-print washing or pre-treatment application, drying or hot air curing

dyestuff classes: reactive, acid, cationic, disperse, direct sublimation, pigment



# **COLARIS-IPT**

Ink Performance Tester 11.11

different formance ds from

A/MA/LA)
nit built to
rial textile
or applicaaterials to
er a long
onk recircution at 400
eplaceable



uction

resist

high

ce bric can

l binary

DROP SIZES

**APPLICATIONS** 

light fabrics i.e. wash labels, lanyards, deco tapes, fashion

024 SA

DROP SIZES

**APPLICATIONS** 

medium fabrics i.e.belts, camouflage, home textiles

1024 MA

DROP SIZES 30 - 75 pl

**APPLICATIONS** 


heavy fabrics i.e. technical webbings, terry towels, velours, transport fabrics 1024 LA

DROP SIZES 80 - 240 pl

APPLICATIONS

pile production i.e. carpets, blankets

# INK SUPPLY & CIRCULATION SYSTEM





Printheads are a significant cost factor in digital printing systems. Nevertheless, our experience shows that rather deposits or mechanical damage result in malfunctioning printheads than natural aging. Usually, clogged printheads are no longer usable and must be replaced.

To relieve our customers and to extend the printheads service life, ZIMMER AUSTRIA built up a great deal of knowledge and technology to understand, clean and repair Star-Fire™ print heads. Depending on the error pattern and ink used, different approaches, chemicals and procedures are

Michenetor. ZIMMER AUSTRIA Digital Printing Systems is known for flexibility and for building tailormade machines and systems. This is the reason why we remain one of few textile machine manufacturers with a deep, vertical inhouse manufacturing capability. Starting from engineering to mechanical manufacturing, electronic and software development, machine and control cabinet assembly, programming, internal testing, we also provide shipping, on-site installation, start-up and training of customer personnel and most important: after sales service through our own team. Additionally, we can offer on-site process development and optimization for a wide range of digital printing and coating applications.



technology center

Our technology center is the heart and source of all our developments and innovations. New technologies and processes are developed and tested on individual textiles, carpets, narrow fabrics and other materials.

Our facilities are fitted with all technologies including CHROMOJET, COLARIS Printing and Coating Systems, as well as with a comprehensive set-up of laboratory equipment. But most important is the staff working in the Technology Center: Each of them is a specialist in his field.

The technology and application center supports machinery and technology development. Furthermore, it gives proof





ZIMMER MASCHINENBAU GMBH **DIGITAL PRINTING SYSTEMS** 



Eibergstrasse 2-8 6330 Kufstein | AUSTRIA



+43 (5372) 64893-0 info@zimmer-austria.com

Your competent partner for process development, engineering, manufacturing and implementation of industrial printing and coating systems.